

$\rho(1570)$ $I^G(J^{PC}) = 1^+(1^{--})$

OMITTED FROM SUMMARY TABLE

May be an OZI-violating decay mode of $\rho(1700)$. See the review on
 "Spectroscopy of Light Meson Resonances."

 $\rho(1570)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
1570±36±62	54	¹ AUBERT	08S BABR	$10.6 e^+ e^- \rightarrow \phi\pi^0\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1585±15		² ACHASOV	20C SND	$1.3-2.0 e^+ e^- \rightarrow K^+K^-\pi^0$
1480±40		³ BITYUKOV	87 SPEC	$32.5 \pi^- p \rightarrow \phi\pi^0 n$

¹ From the fit with two resonances.² From a fit using a two resonance model in which the mass and width of the other resonance are fixed at the $\rho(1700)$ values from PDG 20.³ Systematic errors not estimated. **$\rho(1570)$ WIDTH**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
144±75±43	54	⁴ AUBERT	08S BABR	$10.6 e^+ e^- \rightarrow \phi\pi^0\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
75±30		⁵ ACHASOV	20C SND	$1.3-2.0 e^+ e^- \rightarrow K^+K^-\pi^0$
130±60		⁶ BITYUKOV	87 SPEC	$32.5 \pi^- p \rightarrow \phi\pi^0 n$

⁴ From the fit with two resonances.⁵ From a fit using a two resonance model in which the mass and width of the other resonance are fixed at the $\rho(1700)$ values from PDG 20.⁶ Systematic errors not estimated. **$\rho(1570)$ DECAY MODES**

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 e^+ e^-$	
$\Gamma_2 \phi\pi$	not seen
$\Gamma_3 \omega\pi$	

 $\rho(1570) \Gamma(i)\Gamma(e^+e^-)/\Gamma(\text{total})$

VALUE (eV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT	$\Gamma_2\Gamma_1/\Gamma$
3.5±0.9±0.3	54	⁷ AUBERT	08S BABR	$10.6 e^+ e^- \rightarrow \phi\pi^0\gamma$		
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<70	90	⁸ AULCHENKO	87B ND	$e^+ e^- \rightarrow K_S^0 K_L^0 \pi^0$		

⁷ From the fit with two resonances.⁸ Using mass and width of BITYUKOV 87.

$\rho(1570)$ BRANCHING RATIOS **$\Gamma(\phi\pi)/\Gamma_{\text{total}}$**

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_2/Γ
not seen	ABELE 97H	CBAR	$\bar{p}p \rightarrow K_L^0 K_S^0 \pi^0 \pi^0$	

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.01 ⁹ DONNACHIE 91 RVUE

⁹ Using data from BISELLO 91B, DOLINSKY 86, and ALBRECHT 87L.

 $\Gamma(\phi\pi)/\Gamma(\omega\pi)$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_2/Γ_3
>0.5	95	BITYUKOV 87	SPEC	$32.5 \pi^- p \rightarrow \phi\pi^0 n$	

 $\rho(1570)$ REFERENCES

ACHASOV PDG	20C 20	EPJ C80 1139 PTEP 2020 083C01	M.N. Achasov <i>et al.</i> P.A. Zyla <i>et al.</i>	(SND Collab.) (PDG Collab.)
AUBERT	08S	PR D77 092002	B. Aubert <i>et al.</i>	(BABAR Collab.)
ABELE	97H	PL B415 280	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
BISELLO	91B	NPBPS B21 111	D. Bisello	(DM2 Collab.)
DONNACHIE	91	ZPHY C51 689	A. Donnachie, A.B. Clegg	(MCHS, LANC)
ALBRECHT	87L	PL B185 223	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
AULCHENKO	87B	JETPL 45 145	V.M. Aulchenko <i>et al.</i>	(NOVO)
		Translated from ZETFP 45 118.		
BITYUKOV	87	PL B188 383	S.I. Bityukov <i>et al.</i>	(SERP)
DOLINSKY	86	PL B174 453	S.I. Dolinsky <i>et al.</i>	(NOVO)